

ATH M[®]74Z PLUS

Obrázky produktu



Short Description

The ATH M74Z Plus is the modern tire changer for maximum efficiency. The new A74 assist arm with additional bead-breaking function makes work easier. The integrated camera in the assist arm displays the wheel underside directly on the control panel for full control. The height-adjustable center

hole clamping with flange and quick-lock nut ensures precise mounting. Perfect for workshops that value speed and convenience.

- Rear swivel with pneumatic mounting head clamping including automatic vertical and horizontal rim removal
- Control via ergonomically arranged foot pedals
- Including pneumatic controlled auxiliary assembly arm for effortless and damage-free assembly of low-profile, UHP and run-flat tires
- Height-adjustable center hole mounting with use of a clamping flange and quick-release nut
- Lateral extractor with double-acting aluminium cylinder and anti-jamming system
- Including wheel lift, quick release tool, pneumatic assembly tool and WDK kit

Další informace

Vnější upínací rozsah	12 – 26 "
Šířka ráfku	4 – 13 "
Šířka kola max.	1.050 mm
Připojení stlačeného vzduchu	10 bar
Rozsah srážecí patky	83 – 350 mm
Síla srážecí patky	2.500 kg
Rychlost montáž	6 and 12 U/min
Příkon	0,75 / 0,90 kW
Napájení	3x 400V / C16A
Úroveň hluku	70 dB(A)

